

Modelo	Voltage Nominal (V)	Capacidad (AH)				Dimensiones								Peso		Terminal
		20HR	10HR	5HR	1HR	Largo		Ancho		Alto		Alto total		kg	lbs	
		1.80 V/cell	1.80 V/cell	1.75 V/cell	1.60 V/cell	mm	in.	mm	in.	mm	in.	mm	in.			
<a href="#">LP4-3.5</a>	4	3.50	3.26	2.94	2.12	90.0	3.54	34.0	1.34	59.0	2.32	65.0	2.56	0.45	0.99	T1
<a href="#">LP4-4.5</a>	4	4.50	4.19	3.78	2.73	52.5	2.07	48.0	1.89	94.0	3.70	100.0	3.94	0.60	1.32	T1
<a href="#">LP4-5.0</a>	4	5.00	4.65	4.20	3.04	91.0	3.58	50.0	1.97	74.0	2.91	74.0	2.91	0.66	1.46	T1
<a href="#">LP4-8.0</a>	4	8.00	7.44	6.80	5.02	91.0	3.58	50.0	1.97	101.0	3.98	101.0	3.98	0.97	2.14	T2
<a href="#">LP4-10</a>	4	10.0	9.30	8.50	6.28	101.5	4.00	50.0	1.97	94.0	3.70	100.0	3.94	1.14	2.51	T2
<a href="#">LP6-1.0</a>	6	1.00	0.93	0.84	0.607	51.0	2.01	42.0	1.65	51.0	2.01	57.0	2.24	0.25	0.55	T1
<a href="#">LP6-1.2</a>	6	1.20	1.12	1.01	0.728	97.0	3.82	24.0	0.94	51.5	2.03	57.5	2.26	0.29	0.64	T1
<a href="#">LP6-2.0</a>	6	2.00	1.86	1.68	1.21	43.0	1.69	37.0	1.46	76.0	2.99	76.0	2.99	0.34	0.75	/
<a href="#">LP6-2.8</a>	6	2.80	2.60	2.35	1.70	66.0	2.60	33.0	1.30	97.0	3.82	103.0	4.06	0.57	1.26	T1
<a href="#">LP6-3.2</a>	6	3.20	2.98	2.69	1.94	134	5.28	34.0	1.34	60.0	2.36	66.0	2.60	0.67	1.48	T1
<a href="#">LP6-4.0</a>	6	4.00	3.72	3.36	2.43	70.0	2.76	47.0	1.85	100.0	3.94	106.0	4.17	0.74	1.63	T1
<a href="#">LP6-4.0H</a>	6	4.00	3.72	3.36	2.43	70.0	2.76	47.0	1.85	100.0	3.94	106.0	4.17	0.73	1.61	T1
<a href="#">LP6-4.5</a>	6	4.50	4.19	3.78	2.73	70.0	2.76	47.0	1.85	100.0	3.94	106.0	4.17	0.81	1.79	T1
<a href="#">LP6-4.5H</a>	6	4.50	4.19	3.78	2.73	70.0	2.76	47.0	1.85	100.0	3.94	106.0	4.17	0.75	1.65	T1
<a href="#">LP6-4.5S</a>	6	4.50	4.19	3.78	2.73	67.0	2.64	67.0	2.64	96.0	3.78	109.0	4.29	0.78	1.72	S
<a href="#">LP6-5.0</a>	6	5.00	4.65	4.20	3.04	169	4.29	35.0	1.38	70.0	2.76	74.0	2.91	0.95	2.09	T1
<a href="#">LP6-5.4</a>	6	5.40	5.02	4.53	3.28	70.0	2.76	47.0	1.85	100.0	3.94	106.0	4.17	0.80	1.76	T1
<a href="#">LP6-6.0</a>	6	6.00	5.58	5.05	3.64	70.0	2.76	47.0	1.85	100.0	3.94	106.0	4.17	0.90	1.98	T1
<a href="#">LP6-7.0</a>	6	7.00	6.51	5.59	4.40	150.0	5.91	34.0	1.30	94.0	3.70	100.0	3.94	1.12	2.47	T1
<a href="#">LP6-7.2</a>	6	7.2	6.70	6.12	4.52	151	5.94	34	1.34	94	3.7	100	3.94	1.20	2.65	T2
<a href="#">LP6-7.5</a>	6	7.5	6.98	6.38	4.71	151	5.94	34	1.34	94	3.7	100	3.94	1.26	2.78	T2
<a href="#">LP6-7.8</a>	6	7.8	7.25	6.63	4.90	151	5.94	34	1.34	94	3.7	100	3.94	1.28	2.82	T2
<a href="#">LP6-8.5</a>	6	8.5	7.91	7.23	5.34	151	5.94	34	1.34	94	3.7	100	3.94	1.2	2.65	T2
<a href="#">LP6-8.5H</a>	6	8.5	7.91	7.23	5.34	98	3.86	56	2.2	118	4.65	120	4.72	1.52	3.35	T2
<a href="#">LP6-10</a>	6	10	9.30	8.50	6.28	151	5.94	51	2.01	94	3.7	100	3.94	1.62	3.57	T2
<a href="#">LP6-12</a>	6	12	11.20	10.2	7.54	151	5.94	51	2.01	94	3.7	100	3.94	1.8	3.97	T2
<a href="#">LP6-13</a>	6	13	12.09	11.05	8.16	108	4.25	70	2.76	140	5.51	140	5.51	2.24	4.94	NTI/PT2
<a href="#">LP6-14</a>	6	14	13.00	11.9	8.79	151	5.95	51	2.01	94	3.7	100	3.94	2.05	4.52	T2

<a href="#">LP6-20</a>	6	20	18.60	17.0	12.6	157	6.18	83	3.27	125	4.92	125	4.92	3.21	7.08	T3
<a href="#">LP6-36</a>	6	36	33.50	30.6	22.6	161	6.34	87	3.43	163	6.42	169	6.65	5.5	12.1	T2/T3
<a href="#">LP6-42</a>	6	42	39.1	35.7	26.4	161	6.34	87	3.43	163	6.42	169	6.65	5.8	12.8	T2
<a href="#">LP8-3.2</a>	8	3.2	2.98	2.69	1.94	134	5.28	36.5	1.44	63	2.48	69	2.72	0.75	1.65	T1
<a href="#">LP12-0.8</a>	12	0.8	0.74	0.67	0.49	96	3.78	25	0.98	62	2.44	62	2.44	0.36	0.79	/
<a href="#">LP12-1.2</a>	12	1.2	1.12	1.01	0.75	97	3.82	43	1.69	52	2.05	58	2.28	0.57	1.26	T1/T2
<a href="#">LP12-1.9</a>	12	1.9	1.77	1.62	1.15	178	7.01	35	1.38	60	2.36	66	2.6	0.88	1.94	T1
<a href="#">LP12-2.2</a>	12	2.2	2.05	1.85	1.34	70	2.76	48	1.89	98	3.86	104	4.09	0.80	1.76	T1
<a href="#">LP12-2.3</a>	12	2.3	2.14	1.93	1.40	178	7.01	35	1.38	60	2.36	66	2.6	0.97	2.14	T1
<a href="#">LP12-2.3C</a>	12	1.8	1.67	1.51	1.32	182	7.17	24	0.94	61	2.4	61	2.4	0.78	1.72	/
<a href="#">LP12-2.8</a>	12	2.8	2.60	2.35	1.70	132	5.2	33	1.3	98	3.86	104	4.09	1.18	2.6	T1
<a href="#">LP12-2.9</a>	12	2.9	2.70	2.44	1.76	79	3.11	56	2.2	99	3.9	105	4.13	1.1	2.43	T1
<a href="#">LP12-3.2</a>	12	3.2	2.98	2.69	1.94	134	5.28	67	2.64	60.5	2.38	66.5	2.62	1.35	2.98	T1/T2
<a href="#">LP12-4.0L</a>	12	4	3.72	3.36	2.43	195	7.68	47	1.85	70	2.76	76	2.99	1.6	3.53	T1
<a href="#">LP12-4.0</a>	12	4.0	3.72	3.36	2.43	90	3.54	70	2.76	101	3.98	107	4.21	1.45	3.20	T1
<a href="#">LP12-4.5</a>	12	4.5	4.19	3.78	2.73	90	3.54	70	2.76	101	3.98	107	4.21	1.48	3.76	T1
<a href="#">LP12-5.0</a>	12	5.0	4.65	4.20	3.04	151	5.94	53	2.09	93	3.66	99	3.9	1.75	3.86	T1
<a href="#">LP12-5.4</a>	12	5.4	5.02	4.54	3.28	90	3.54	70	2.76	101	3.98	107	4.21	1.65	3.64	T1
<a href="#">LP12-6.0</a>	12	5.8	5.51	5.05	3.64	90	3.54	70	2.76	101	3.98	107	4.21	1.88	4.15	T1
<a href="#">LP12-6.0H</a>	12	6.0	5.58	5.05	3.64	140	5.51	48	1.89	102	4.02	103	4.06	1.68	3.70	NTI/PT2
<a href="#">LP12-6.5</a>	12	6.5	6.05	5.55	4.08	151	5.94	65	2.56	93.5	3.68	99	3.90	2.06	4.54	T1
<a href="#">LP12-7.0</a>	12	7.0	6.53	5.95	4.4	151	5.94	65	2.56	93.5	3.68	99	3.90	2.18	4.81	T2
<a href="#">LP12-7.2</a>	12	7.2	6.70	6.12	4.49	151	5.94	65	2.56	93.5	3.68	99	3.90	2.35	5.18	T2
<a href="#">LP12-7.5</a>	12	7.5	6.98	6.40	4.71	151	5.94	65	2.56	93.5	3.68	99	3.90	2.35	5.18	T2
<a href="#">LP12-7.8</a>	12	7.8	7.28	6.50	4.74	151	5.94	65	2.56	93.5	3.68	99	3.90	2.50	5.51	T2
<a href="#">LP12-8.5</a>	12	8.5	7.93	7.15	5.31	151	5.94	65	2.56	93.5	3.68	99	3.90	2.45	5.40	T2
<a href="#">LP12-10</a>	12	10	9.30	8.50	6.28	151	5.94	98	3.86	95	3.74	101	3.98	3.25	7.17	T2
<a href="#">LP12-10H</a>	12	10	9.3	8.5	6.28	151	5.94	65	2.56	111	4.37	117	4.61	3.20	7.06	T2
<a href="#">LP12-12</a>	12	12	11.2	10.2	7.49	151	5.94	98	3.86	95	3.74	101	3.98	3.50	7.72	T2
<a href="#">LP12-14</a>	12	14	13.0	11.9	8.79	151	5.94	98	3.86	95	3.74	101	3.98	4.05	8.93	T2
<a href="#">LP12-15</a>	12	15	14.0	12.8	9.42	181.5	7.15	77	3.03	167.5	6.59	167.5	6.59	4.70	10.4	T3

<a href="#">LP12-18</a>	12	18	16.7	15.3	11.2	181.5	7.15	77	3.03	167.5	6.59	167.5	6.59	5.40	11.9	T3
<a href="#">LP12-20</a>	12	20	18.6	17.0	12.6	181.5	7.15	77	3.03	167.5	6.59	167.5	6.59	5.78	12.7	T3
<a href="#">LP12-24</a>	12	24	22.3	20.4	15.1	166	6.54	175	6.89	125	4.92	125	4.92	7.20	15.9	T3
<a href="#">LP12-24H</a>	12	24	22.3	20.4	15.1	164	6.5	125	4.92	175	6.89	175	6.89	8.45	18.6	T12
<a href="#">LP12-26</a>	12	26	24.2	22.1	16.3	166	6.56	175	6.89	125	4.92	125	4.92	7.80	17.2	T12
<a href="#">LP12-28</a>	12	28	26	23.8	17.6	166	6.54	175	6.89	125	4.92	125	4.92	8.40	18.5	T3
<a href="#">LP12-28H</a>	12	28	26	23.8	17.6	164	6.5	125	4.92	175	6.89	175	6.89	9.10	20.1	T3
<a href="#">LP12-30</a>	12	30	27.9	25.5	18.8	166	6.56	175	6.89	125	4.92	125	4.92	8.60	19.0	T3
<a href="#">LP12-30H</a>	12	30.0	27.9	25.5	18.8	195	7.68	130	5.12	164	6.46	178	7.01	9.70	21.4	T5
<a href="#">LP12-33</a>	12	33.0	30.7	28.1	20.7	195	7.68	130	5.12	164	6.46	178	7.01	10.5	23.2	T5
<a href="#">LP12-35</a>	12	35.0	32.6	29.8	22.0	195	7.68	130	5.12	164	6.46	178	7.01	11.2	24.7	T5
<a href="#">LP6-60</a>	6	62.4	60.0	51.5	36.6	185	7.28	112	4.41	205	8.07	205	8.07	9.10	20.1	T2
<a href="#">LP6-150</a>	6	156	150	129	91.5	260	10.2	180	7.09	247	9.72	253	9.96	21.0	46.7	T7
<a href="#">LP6-200H</a>	6	208	200	172	122	306	12.0	168	6.61	222	8.74	228	8.98	28.0	62.2	T8
<a href="#">LP12-38</a>	12	40.0	38.0	32.7	23.2	197	7.76	165	6.50	170	6.69	170	6.69	12.2	26.9	T6
<a href="#">LP12-40</a>	12	40.0	38.5	33.1	23.5	255	10.0	97	3.82	203	7.99	203	7.99	12.5	27.6	T7
<a href="#">LP12-45</a>	12	46.8	45.0	38.7	27.5	197	7.76	165	6.50	170	6.69	170	6.69	14.2	31.3	T6
<a href="#">LP12-50</a>	12	52.0	50.0	43.0	30.5	257	10.1	132	5.19	200	7.87	200	7.87	15.7	34.6	T6
<a href="#">LP12-55</a>	12	57.2	55.0	47.3	33.6	229	9.02	138	5.43	205	8.07	211	8.31	16.2	35.7	T6
<a href="#">LP12-60</a>	12	62.4	60.0	51.5	36.6	260	10.2	168	6.61	208	8.19	214	8.43	18.4	40.8	T6
<a href="#">LP12-65</a>	12	65.0	62.5	53.8	38.1	348	13.7	167	6.57	178	7.01	178	7.01	19.2	42.3	T6
<a href="#">LP12-70</a>	12	72.8	70.0	60.3	42.7	348	13.7	167	6.57	178	7.01	178	7.01	21.6	47.6	T6
<a href="#">LP12-75</a>	12	78.0	75.0	64.5	45.8	260	10.2	168	6.61	208	8.19	214	8.43	22.3	49.6	T6
<a href="#">LP12-80</a>	12	83.2	80.0	69.0	48.8	260	10.2	168	6.61	208	8.19	214	8.43	23.8	52.9	T6
<a href="#">LP12-90</a>	12	93.6	90	77.5	54.9	330	13.0	173	6.81	212	8.35	220	8.66	27.8	61.7	T11
<a href="#">LP12-100</a>	12	104	100	88.0	63.8	330	13.0	173	6.81	212	8.35	220	8.66	30.6	67.9	T11
<a href="#">LP12-120</a>	12	124.8	120	103.2	73.2	408	16.1	177	6.97	225	8.86	225	8.86	34.0	75.6	T11
<a href="#">LP12-135</a>	12	140.4	135	116.0	82.4	345	13.6	172	6.77	274	10.8	280	11.0	41.2	90.8	T11
<a href="#">LP12-150</a>	12	156	150	129	91.5	485	19.1	170	6.69	238.5	9.39	239	9.40	43.2	95.9	T11
<a href="#">LP12-180</a>	12	187.2	180	155	109.8	532	20.9	207	8.15	214	8.42	220	8.66	53.6	119.1	T11
<a href="#">LP12-200</a>	12	208	200	172	122.0	522	20.6	240	9.45	218	8.58	224	8.82	59.8	132.7	T11

<a href="#">LP12-250</a>	12	260	250	215	152.5	522	20.6	268	10.6	220	8.66	226	8.9	72.5	161	T11
<a href="#">LP2-65</a>	2	68.2	65	56.5	39.5	170	6.69	72	2.83	205	8.07	212	8.35	4.6	10.1	T6
<a href="#">LP2-100</a>	2	105	100	87	60.7	170	6.69	72	2.83	205	8.07	214	8.43	5.80	12.8	T6
<a href="#">LP2-120</a>	2	126	120	104.5	72.8	170	6.69	98	3.86	205	8.07	214	8.43	7.40	16.3	T7
<a href="#">LP2-130</a>	2	136.5	130	113	78.9	170	6.69	98	3.86	205	8.07	212	8.35	8.00	17.6	T7
<a href="#">LP2-150</a>	2	157.6	150	130.5	91.1	170	6.69	98	3.86	205	8.07	214	8.43	8.40	18.5	T7
<a href="#">LP2-200</a>	2	210	200	174	121.4	170	6.69	110	4.33	328	12.9	350	13.8	12.7	28.0	T11
<a href="#">LP2-250</a>	2	262.0	250	217.5	151.8	170	6.69	110	4.33	328	12.9	350	13.8	13.8	30.4	T11
<a href="#">LP2-300</a>	2	316	300	261	182.1	170	6.69	150	5.91	330	13.0	350	13.8	17.7	39.0	T11
<a href="#">LP2-350</a>	2	368	350	304.5	212.5	170	6.69	150	5.91	328	12.9	350	13.8	19.3	42.6	T11
<a href="#">LP2-400</a>	2	420	400	348	242.8	210	8.27	175	6.89	330	13.0	350	13.8	24.3	53.6	T11
<a href="#">LP2-500</a>	2	526	500	435	303.5	240	9.45	175	6.89	328	12.9	348	13.7	29.0	63.9	T11
<a href="#">LP2-600</a>	2	630	600	522	364.2	300	11.8	175	6.89	330	13.0	350	13.8	35.7	78.7	T11
<a href="#">LP2-700</a>	2	736	700	609	424.9	300	11.8	175	6.89	330	13.0	350	13.8	38.1	84	T11
<a href="#">LP2-800</a>	2	840	800	696	485.6	410	16.1	175	6.89	330	13.0	350	13.8	50.4	111.1	T11
<a href="#">LP2-1000</a>	2	1050	1000	870	607.0	475	18.7	175	6.89	328	12.9	350	13.8	59	130.1	T11
<a href="#">LP2-1200</a>	2	1260	1200	1044	728.4	475	18.7	175	6.89	328	12.9	350	13.8	66.4	146.4	T11
<a href="#">LP2-1500</a>	2	1576	1500	1305	910.5	403	15.9	354	13.9	339	13.3	349	13.7	96.0	211.7	T11
<a href="#">LP2-1800</a>	2	1890	1800	1566	1093	403	15.9	354	13.9	339	13.3	349	13.7	101	222.7	T11
<a href="#">LP2-2000</a>	2	2100	2000	1740	1214	490	19.3	350	13.8	339	13.3	349	13.7	121.0	266.8	T11
<a href="#">LP2-2500</a>	2	2626	2500	2175	1518	490	19.3	350	13.8	339	13.3	349	13.7	133	294.6	T11
<a href="#">LP2-3000</a>	2	3150	3000	2610	1821	709	27.9	350	13.8	337	13.3	347	13.7	180	396.9	T11